# Federal

stimulants, prescription pills, medications, synthetic substances, and natural substances) in Penalty Groups 1

Group 4:

Substances that have the lowest potential for abuse and have common medical purposes

Compounds and mixtures with small amounts of codeine

Compounds and mixtures with small amounts of opium

Class B misdemeanor: Less than 28 grams; jail sentence up to 180 days and/or a fine up to \$2,000

 $3^{\rm rd}$  degree felony: More than 28 grams but less than 200 grams; prison sentence of 2 yrs. To 10 yrs. And/or a fine up to \$10,000

2<sup>nd</sup> degree felony: More than 200 grams but less than 400 grams; prison sentence of 2 yrs. To 20 yrs. And/or a fine up to \$10,000

Amount more than 400 grams; prison sentence of life in prison or 5 yrs. To 99 yrs. And/or a fine up to \$50,000

place while intoxicated. This offense is punishable as a Class C misdemeanor with a fine up to \$500, 8 to 40 hours of community service, 30 to 180 days loss or denial of driver's license, and attendance at an alcohol awareness class. If the minor has a previous alcohol-related conviction, the offense is punishable with a suspension of a driver's license for one year if the minor fails to attend an alcohol awareness class. If the minor is seventeen years old or older and the violation is the third offense, the offense is punishable by a fine of \$250 up to \$2,000 and/or a jail sentence for up to 180 days and an automatic driver's license suspension

A person commits an offense if the person is an adult or minor who gives alcohol to a minor. This offense is punishable as

- registration for any University courses. A suspended student must petition the Vice President for Student Services/Dean of Students for readmission. Suspension will be noted on the student's permanent record.
- 3. Status of Students Suspended for Disciplinary Reasons: Students under disciplinary suspension are required to disassociate themselves from the University except for appointments that have been made to conduct official university business approved in advance by the Office of the Vice President for Student Services/Dean of Students.
- 4. <u>Disciplinary Probation</u>: Conditions imposed for a definite period of time, with or without a loss of privileges. During this time, the student's behavior is monitored and critically examined. Any misconduct while on disciplinary probation may result in a more serious sanction or expulsion. Probation will be noted on the student's permanent record during the period of probation.
- 5. <u>Disciplinary Warning</u>: An official written notice of unacceptable behavior emphasizing the fact that further misconduct may result in the more serious disciplinary sanction of probation, suspension, or expulsion.
- 6. <u>Disciplinary Reprimand</u>: An official written criticism for the first violation of the Student Code of Conduct when misconduct is less serious.
- 7. Revocation of Admission and/or Degree: revocation of admission and/or degree may be imposed for fraud, misrepresentation, or other violations of university rules/policies in obtaining admission or a degree, or for other serious violations committed by an applicant or by a student prior to the awarding of the degree.
- 8. Other Sanctions: Any enforcement/sanctions needed to administer a fair standard of discipline, including but not limited to
  - a. Restitution.
  - b. Counseling referral.
  - c. Assignment of a special project.
  - d. Assignment of community service.
  - e. Restriction from membership, participation, or holding office in student organizations or other elective offices during the probationary period.
  - f. Restriction to the campus and to those activities required of all students by the University.
  - g. Restrictions from participating in university-sponsored activities, other extracurricular activities, residence hall activities, and/or athletics.
  - h. Expulsion/suspension from the residence halls or a disciplinary room change.
  - i. Revocation of the right to represent Texas Southern University in any honorary position: "Miss TSU," student delegate, etc.
  - j. Restriction from using an automobile on the campus for a designated period of time.
  - k. Restriction from voting, campaigning for another student, or attending organizational meetings during the probationary period.

retardation. In addition, research

problems. Referrals to outside resources are also given to students to address long-term substance use and detox.

Students may schedule an appointment with the

Depressants include Barbiturates, Benzodiazepine s, GHB-Gamma Hydroxybutyric Acid, Rohypnol	GHB – Gamma – Hydroxybutyric Acid Prescribed as Xyrem, it is also known as the "date rape drug." It comes in liquid or as a white powder dissolved in water, juice, or alcohol. In liquid form, GHB is clear and colorless and slightly salty in taste.	GHB - Gamma - Hydroxybutyric Acid - G, Georgia Home Boy, Goop, Grievous Bodily Harm, Liquid X, Scoop, Liquid Ecstasy	GHB - Gamma - Hydroxybutyric Acid  • Usually a liquid, mixed in a beverage  • White powder normally dissolved in a liquid	GHB - Gamma - Hydroxybutyric Acid • Hallucinations • Euphoria, drowsiness, decreased anxiety, excited and aggressive behavior • Overdose symptoms: unconsciousness , seizures, slowed heart rate, greatly slowed breathing, lower body temperature, vomiting, nausea, coma, death
				symptoms: unconsciousness , seizures, slowed heart rate, greatly slowed breathing, lower body temperature, vomiting, nausea, coma,
Depressants include Barbiturates, Benzodiazepine s, GHB-Gamma Hydroxybutyric Acid, Rohypnol	Rohypnol – Depressant and benzodiazepine with generic name Flunitrazepam. It is not approved for medical use in the United States. Used by cocaine abusers to relieve side effects and also used as a "date rape" drug.	Rohypnol – Circles, Forget Me Pill, La Rocha, Lunch Money Drug, Mexican Valium, Pingus, R2, Roach 2, Ruffles, Rophies, Wolfies	Rohypnol  Oblong olive-green tablet, swallowed, crushed, and snorted  Can be dissolved in liquids When placed in a light-colored drink, will dye it blue	Rohypnol  • Muscle relaxant, decreased anxiety  • Drowsiness, amnesia, sleep  • Slurred speech, loss of coordination  • Impaired mental function, confusion Addictive

Designer Drugs include Bath Salts, Flakka Designer Drugs

include Bath Salts, Flakka (alpha-PVP), Spice/K 2, Synthetic Marijuana, U-47700 Flakka (alpha-PVP) – is a dangerous drug that is similar to the street drug commonly known as bath salts. Flakka is typically white or pink in color and is found in crystal form.

Flakka (alpha-PVP) – Gravel Flakka (alpha-PVP)

• The drug may be eaten, snorted, injected, or vaporized in e-cigarettes.

Flakka (alpha-PVP)

 Paranoia and hallucinations that may lead to P

loss,	and
insor	nnia

Drugs of
Concern
include DXM
(Dextromethor
phan), Kratom
Salvia
Divinorum

Salvia Divinorum – Psychoactive plant from the mint family, abused for its hallucinogenic effect. Salvia Divinorum – Maria Pastora, SallyD, Salvia Salvia Divinorum

• Chewing fresh leaves, drinking extracted juices, smoking or inhaling vapors Salvia Divinorum

- Perceptions of bright lights, vivid colors and shapes
- Body or object distortions
- Uncontrollable laughter, fear, panic
- Loss of coordination, dizziness, slurred speech
- Hallucinations

Hallucinogens include ecstasy or MDMA (also known as Molly),

Ketamine, LSD, PCP (Phencyclidine) , Peyote and Mescaline, Psilocybin Ecstasy or MDMA – Known as a party drug, ecstasy comes in pill or powder form; the pill has a variety of logos and colors.

Ecstasy or MDMA – Adam, Beans, Biscuit, Clarity, Disco Biscuit, E, Eve, Go, Hug Drug, Lover's Speed, MDMA, Peace, STP, X, XTC Ecstasy or MDMA

NEW PARKET STATE OF THE STATE O

Hallucinogens include E cstasy or MDMA (also known as Molly), K etamine, LSD, PCP (Phencyclidine) , Peyote and Mescaline,

P nencyclidine)

Psilocybin

PCP (Phencyclidine) – Synthetically produced hallucinogen PCP

(Phencyclidine)
Angel Dust,
Boat, Crystal,
Embalming
Fluid, Hog,
Ozone, Rocket
Fuel, Shermans,
Supergrass, Tic

Tac, Wack, Zoom PCP (Phencyclidine)

- Tablets, capsules are swallowed
- In powder form,

### snorted

• Leafy material sprayed or dipped in liquid and smoked PCP (Phencyclidine)

- Dissociative drug that induces distortion of sight and sound and produces feelings of detachment
- Disorientation, delirium
- Sedation, immobility, amnesia
- Numbness,

				• Euphoria, anxiety
Hallucinogens include E cstasy or MDMA (also known as Molly), Ketamine, LSD, PCP (Phencyclidine), Peyote and Mescaline, Psilocybin	Psilocybin –  Hallucinogenic chemical obtained from certain types of fresh and dried  mushrooms. Has slender stems topped by caps with dark gills on the underside.	Psilocybin – Magic mushrooms, Shrooms, Mushrooms	Psilocybin  Ingested orally Brewed as tea  Added to foods to mask bitter flavor	Psilocybin  • Hallucinations  • Large amounts can cause panic attacks and psychosis  • Nausea and vomiting  • Muscle weakness, lack of coordination  • Overdose may result in psychosis or death
Inhalants	Inhalants – invisible, volatile substances found in common household products, e.g., felt tip markers, spray paint, air freshener, typewriter correction fluid, butane, computer cleaners, and glue. Includes more than 1,000 products that are harmful when inhaled.	Inhalants – Huff, Rush, Whippets, Gluey	Inhalants • Inhaled through nose or mouth  • Huffing inhalant-soaked rag stuffed in mouth  • Inhaling from balloon with nitrous oxide  • Sniffing or snorting the substance from a container or dispenser  • Inhaling fumes from substances in a bag	Inhalants  • Slight stimulation, feeling less inhibition, loss of consciousness  • Damages sections of brain controlling thinking, moving, and seeing  • Slurred speech, loss of coordination, euphoria, dizziness  • Long-term use may cause damage to nervous system and organs  • Sudden sniffing death may occur from suffocation or asphyxiation

comma, and possible death.

Narcotics Hydromorphone –
(Opioids)
include
Fentanyl,
Heroin,
Hydromorphon
e, Methadone,
Morphine,
Opium,
Oxycodone

				comma, and death.
Narcotics (Opioids) include Fentanyl, Heroin, Hydromorphon e, Methadone, Morphine, Opium, Oxycodone	Morphine –  Non-synthetic narcotic (opioid) made from opium, prescribed as K adian®, MSContin®, Oramorph®, MSIR®, RMS®, and Roxanol®.  Very effective for pain relief, high potential for abuse.	Morphine – Dreamer, Emsel, First Line, God's Drug, Hows, MS, Mister Blue, Morpho, Unkie	Morphine Injected Oral Solutions Tablets, capsules, suppositories	Morphine  • E uphoria and relief of pain  • Addictive  • Overdose signs: cold and clammy skin, sleepiness, lowered blood pressure and slow pulse rate, comma and possible death
Narcotics (Opioids) include Fentanyl, Heroin, Hydromorphon e, Methadone, Morphine, Opium, Oxycodone	Opium –  Non-synthetic narcotic extracted from the poppy plant, made into a liquid, powder, or solid. The opium poppy is a key source of many narcotics.	Opium – Aunti, Aunti Emma, Big O, Black pill, Chandu, Chinese Molasses, Dopium, Dream Gun, Fi-donie, Gee, Guma, Midnight Oil, Zero	Opium  Can be smoked or injected intravenously  Taken in pill form  Used in combination with other drugs, such as marijuana and/or methamphetamine	Opium  • Euphoric rush, relaxation and relief of physical pain  • Slow breathing, seizures, loss of consciousness  • Addictive  • Coma or death
Narcotics (Opioids) include Fentanyl, Heroin, Hydromorphon e, Methadone, Morphine, Opium, Oxycodone	Oxycodone - Semi-synthetic opioid drugs prescribed for pain such as Tylox®, Percodan®, and OxyContin®.	Oxycodone – Hillbilly Heroin, Kicker, OC, OX, Roxy, Perc, Oxy	Oxycodone  • Pills and tablets chewed or swallowed  • Inhaling vapors by heating tablet on foil  • Crushed and sniffed or dissolved in water and injected	Oxycodone  • Feelings of relaxation, euphoria, pain relief  • Addictive  • Chronic use of oxycodone with acetaminophen may cause severe liver damage  • Overdose may lead to coma and possible death
Steroids	Steroids – Synthetically produced versions of testosterone, the male hormone that promotes muscle growth, enhances	Steroids – Arnolds, Gear, Gym Candy, Juice, Pumpers,	Steroids • Injected intramuscularly	Steroids  • Many effects depending on age, sex, the

athletic performance, and improves physical appearance.

Roids, Stackers, Weight Gainers • Gels, creams, transdermal patches

• Tablets, sublingual tablets and capsules

type, and length of time used

Stimulants include Amphetamines, Cocaine, K hat, Methamphetam ine

#### Cocaine -

White, crystalline powder derived from coca leaves. The cocaine base (crack) looks like small, irregularly shaped white rocks.

#### Cocaine -

Coca, Coke, Crack, Crank, Flake, Rock, Snow, Soda Cot

#### Cocaine

- Snorted
- Dissolved in water and injected
- Crack cocaine is smoked
- Cocaine users usually binge on the drug until they are exhausted or run out of cocaine

#### Cocaine

- Smoking or injection dreates . an intense euphoric "rush"
- Tolerance

builds quickly, easy to overdose • Cardiac arrhythmias

- Increased blood pressure and heart rate
- Restlessness, irritability, anxiety,

## paranoia

- Insomnia, loss of appetite
- · Stroke or

Saladpesenaphe

Stimulants include Amphetamines, Cocaine, K hat, Methamphetam ine Khat – A stimulant drug made from the leaves and twigs of evergreen shrubs Active ingredients are cathine and cathinone. Khat – Abyssinian Tea, African Salad, Catha, Chat, Kat, Miraa, Oat, Qat, Quaadka

#### Khat

- Chewed
- Dried K hat is used as a tea or chewable paste
- Smoked, sprinkled on food

#### Khat

- Manic behavior with grandiose delusions
- up Chronic use can cause depression and suicide
  - Hallucinations, paranoia, nightmares
  - Euphoria, increased alertness and energy, hyperactivity
  - Increase in blood pressure and heart rate
  - Cardiac complications
  - Insomnia, gastric disorders

Stimulants include Amphetamines, Cocaine, Khat, Methamphetam ine Methamphetamine – Stimulant that speeds up the body's system and comes as a pill or powder. Available in prescription as Desoxyn® to treat obesity and ADHD. Crystal meth resembles glass fragments and is an illegally altered version of the prescription drug that is cooked with over-the-counter